TIKARO

TILE CUTTING TOOLS

Manual tile cutters, cutting & chamfering machines, and tile laying accessories

Ten machine lines, 34 SKUs from 0.6 m to 1.8 m, one shared spares line. Supplied to importers, distributors and private-label brands across the GCC, Southeast Asia and Latin America.



34 SKUs 10 MACHINE LINES	0.6–1.8 M CUTTING LENGTH	3–18 MM CUTTING DEPTH	200 UNITS CUSTOM PACKAGING FROM

THE RANGE AT A GLANCE

Model	Rail & base	Cutting lengths	Cutting depth	Net weight
TC-S	Full steel, solid steel rail	0.6 / 0.8 / 1.0 / 1.2 m	5–16 mm	9.94–14.86 kg
TC-E	Full steel, electroplated finish	0.8 / 1.0 / 1.2 m	5–16 mm	11.58–14.86 kg
TC-W	Widened base, 1.6–1.8 m boards	1.6 / 1.8 m	5–16 mm	24.6–26.86 kg
TC-X	Stainless steel rail, laser	0.8 / 1.2 / 1.6 m	5–16 mm	14.08–23.64 kg
TC-A	Aluminium rail, 3–18 mm depth	0.8 / 1.0 / 1.2 / 1.6 / 1.8 m	3–18 mm	14.26–23.54 kg
TC-C1200	Cut and chamfer in one machine	1.2 m	5–16 mm	21.38 kg

ACCESSORIES SUPPLIED ON THE SAME ORDER

Levellers	Tile levelling system for floor and wall work
Screeds	Screed rails for mortar bed work
Folding rulers	With hole templates for repeat positions
Laser level	12-line green laser level
Tile vibrator	Powered tile-laying vibrator

HOW TO ORDER

Payment	30% deposit with the order, 70% before shipment — restated on your proforma invoice
Packaging	Own-brand carton, customer-supplied packaging and foreign-language print from 200 units per model
Documents	Invoice, packing list, bill of lading, certificate of origin, and certification arranged to destination requirements
What we need to quote	Models or cutting lengths, quantity per model, destination port

SUPPLIER
Huangshan Zhantu Trading Co., Ltd.

EMAIL
export@tikarotools.com

WHATSAPP
+86 199 5593 2627

WEB
www.tikarotools.com



MANUAL TILE CUTTER

TC-S

Full steel body · solid steel rail · 0.6–1.2 m

SPECIFICATIONS BY SKU

Item	0.6 m	0.8 m	1.0 m	1.2 m
Model	TC-S600	TC-S800	TC-S1000	TC-S1200
Net weight	9.94 kg	11.58 kg	13.22 kg	14.86 kg
Gross weight	10.70 kg	12.50 kg	14.30 kg	16.10 kg
Carton size (mm)	850×125×220	1050×125×220	1250×125×220	1450×125×220

WHY THIS MODEL

Solid steel rail

A solid rail does not flex mid-score, which is the usual cause of chipping on large-format tile.

Carbide scoring wheel

Shares the same wheel as every other model in the range — one spares line covers the shelf.

Four lengths

0.6, 0.8, 1.0 and 1.2 m. The 1.2 m machine is the volume model in most residential markets.

CARTON CONTENTS & SERVICE

In every carton	Oil can, tool set (hex key + open-end wrench), screws and nuts, 2 spare scoring wheels
Spare parts	One scoring wheel and one spares kit shared across every machine line
Packaging	Individual packing as standard. Own-brand carton, customer-supplied packaging and foreign-language print from 200 units per model.
Loading data	Carton dimensions and gross weights above. Send your model mix for a loading plan.

SUPPLIER
Huangshan Zhantu Trading Co., Ltd.

EMAIL
export@tikarotools.com

WHATSAPP
+86 199 5593 2627

WEB
www.tikarotools.com



MANUAL TILE CUTTER · ELECTROPLATED

TC-E

Full steel platform · electroplated finish · 0.8–1.2 m

SPECIFICATIONS BY SKU

Item	0.8 m	1.0 m	1.2 m
Model	TC-E800	TC-E1000	TC-E1200
Net weight	11.58 kg	13.22 kg	14.86 kg
Gross weight	12.50 kg	14.30 kg	16.10 kg
Carton size (mm)	1050×125×220	1250×125×220	1450×125×220

WHY THIS MODEL

Corrosion resistance

The electroplated body suits humid and coastal markets where a plain steel machine rusts in the warehouse.

Same platform as TC-S

Identical weights and carton dimensions at the same length, so one packing plan covers both models.

Retail presentation

A finish customers pick up first — the easiest step-up in the range to sell.

CARTON CONTENTS & SERVICE

In every carton	Oil can, tool set (hex key + open-end wrench), screws and nuts, 2 spare scoring wheels
Spare parts	One scoring wheel and one spares kit shared across every machine line
Packaging	Individual packing as standard. Own-brand carton, customer-supplied packaging and foreign-language print from 200 units per model.
Loading data	Carton dimensions and gross weights above. Send your model mix for a loading plan.

SUPPLIER
Huangshan Zhantu Trading Co., Ltd.

EMAIL
export@tikarotools.com

WHATSAPP
+86 199 5593 2627

WEB
www.tikarotools.com



MANUAL TILE CUTTER · FULL STEEL

TC-F

Full steel body · red or blue finish · 0.6–1.2 m

SPECIFICATIONS BY SKU

Item	0.6 m	0.8 m	1.0 m	1.2 m
Model — red	TC-F600	TC-F800	TC-F1000	TC-F1200
Model — blue	—	TC-FC800	TC-FC1000	TC-FC1200
Net weight — red	11.88 kg	13.92 kg	16.04 kg	18.14 kg
Gross weight — red	13.0 kg	15.2 kg	17.5 kg	19.8 kg
Net weight — blue	—	15.34 kg	17.16 kg	19.12 kg
Gross weight — blue	—	16.58 kg	18.58 kg	20.62 kg
Carton size (mm)	870×155×215	1070×155×215	1270×155×215	1470×155×215

WHY THIS MODEL

Heavier than the entry model

11.88 kg against 9.94 kg at 0.6 m — the mass is what keeps a long score straight on hard porcelain.

Two finishes, four lengths

Red in 0.6–1.2 m, blue in 0.8–1.2 m at about 1.4 kg more.

One shared spares line

Same scoring wheel as every other model in the range.

CARTON CONTENTS & SERVICE

In every carton	Oil can, tool set (hex key + open-end wrench), screws and nuts, 2 spare scoring wheels
Spare parts	One scoring wheel and one spares kit shared across every machine line
Packaging	Individual packing as standard. Own-brand carton, customer-supplied packaging and foreign-language print from 200 units per model.
Loading data	Carton dimensions and gross weights above. Send your model mix for a loading plan.

SUPPLIER
Huangshan Zhantu Trading Co., Ltd.

EMAIL
export@tikarotools.com

WHATSAPP
+86 199 5593 2627

WEB
www.tikarotools.com



MANUAL TILE CUTTER · HEAVY FULL STEEL

TC-H

Widened bed · 1.2 m · 22.0–23.2 kg net

SPECIFICATIONS BY SKU

Item	1.2 m — red	1.2 m — blue
Model	TC-H1200	TC-HC1200
Net weight	22.00 kg	23.20 kg
Gross weight	24.88 kg	25.78 kg
Carton size (mm)	1510×255×220	1510×255×220

WHY THIS MODEL

Widened bed

255 mm carton section against 155 mm on TC-F — the bed is what stops heavy tile rocking.

Two finishes

Red at 22.00 kg net, blue at 23.20 kg — same carton, 1.2 kg more.

Bench machine

A two-person lift. Not a site-carry tool.

CARTON CONTENTS & SERVICE

In every carton	Oil can, tool set (hex key + open-end wrench), screws and nuts, 2 spare scoring wheels
Spare parts	One scoring wheel and one spares kit shared across every machine line
Packaging	Individual packing as standard. Own-brand carton, customer-supplied packaging and foreign-language print from 200 units per model.
Loading data	Carton dimensions and gross weights above. Send your model mix for a loading plan.

SUPPLIER
Huangshan Zhantu Trading Co., Ltd.

EMAIL
export@tikarotools.com

WHATSAPP
+86 199 5593 2627

WEB
www.tikarotools.com



MANUAL TILE CUTTER · WIDE BASE

TC-W

Widened base · for 1.6 m and 1.8 m boards · 5–16 mm

SPECIFICATIONS BY SKU

Item	1.6 m	1.8 m
Model	TC-W1600	TC-W1800
Net weight	24.6 kg	26.86 kg
Gross weight	28.2 kg	30.7 kg
Carton size (mm)	1865×170×250	2065×170×250
Cutting depth	5–16 mm	5–16 mm
Base	Wide base	Wide base

WHY THIS MODEL

Base wide enough for boards
1.6 m and 1.8 m tile needs a bed that stops the tile tipping while it is scored.

Mass is the feature
24.6–26.86 kg net keeps a long score straight. Plan site handling for a two-person lift.

One shared spares line
Same scoring wheel as the rest of the range, so no separate service stock.

CARTON CONTENTS & SERVICE

In every carton	Oil can, tool set (hex key + open-end wrench), screws and nuts, 2 spare scoring wheels
Spare parts	One scoring wheel and one spares kit shared across every machine line
Packaging	Individual packing as standard. Own-brand carton, customer-supplied packaging and foreign-language print from 200 units per model.
Loading data	Carton dimensions and gross weights above. Send your model mix for a loading plan.

SUPPLIER
Huangshan Zhantu Trading Co., Ltd.

EMAIL
export@tikarotools.com

WHATSAPP
+86 199 5593 2627

WEB
www.tikarotools.com



MANUAL TILE CUTTER · STAINLESS RAIL

TC-X

Stainless steel rail · laser positioning · 0.8–1.6 m

SPECIFICATIONS BY SKU

Item	0.8 m	1.2 m	1.6 m
Model	TC-X800	TC-X1200	TC-X1600
Net weight	14.08 kg	18.34 kg	23.64 kg
Gross weight	14.96 kg	21.14 kg	26.54 kg
Carton size (mm)	1220×200×300	1640×200×300	2040×200×300
Cutting depth	5–16 mm	5–16 mm	5–16 mm
Rail	Stainless steel	Stainless steel	Stainless steel

WHY THIS MODEL

Stainless steel rail
Resists corrosion where cutting is done wet or in coastal conditions.

Laser positioning
For repeat cuts of the same dimension — a fit-out or shopfitting workflow, not a one-off.

Three lengths
0.8, 1.2 and 1.6 m, covering both residential and large-format work.

CARTON CONTENTS & SERVICE

In every carton	Oil can, tool set (hex key + open-end wrench), screws and nuts, 2 spare scoring wheels
Spare parts	One scoring wheel and one spares kit shared across every machine line
Packaging	Individual packing as standard. Own-brand carton, customer-supplied packaging and foreign-language print from 200 units per model.
Loading data	Carton dimensions and gross weights above. Send your model mix for a loading plan.

SUPPLIER
Huangshan Zhantu Trading Co., Ltd.

EMAIL
export@tikarotools.com

WHATSAPP
+86 199 5593 2627

WEB
www.tikarotools.com



MANUAL TILE CUTTER · ALUMINIUM RAIL

TC-A

Aluminium rail · 3–18 mm depth · 0.8–1.8 m

SPECIFICATIONS BY SKU

Item	0.8 m	1.0 m	1.2 m	1.6 m	1.8 m
Model	TC-A800	TC-A1000	TC-A1200	TC-A1600	TC-A1800
Net weight	14.26 kg	16.10 kg	17.94 kg	21.70 kg	23.54 kg
Gross weight	16.28 kg	18.16 kg	20.04 kg	24.28 kg	26.16 kg
Carton size (mm)	1240×200×300	1440×200×300	1640×200×300	2040×200×300	2240×200×300
Cutting depth	3–18 mm	3–18 mm	3–18 mm	3–18 mm	3–18 mm
Wheel	Tungsten carbide	Tungsten carbide	Tungsten carbide	Tungsten carbide	Tungsten carbide

WHY THIS MODEL

Widest depth range in the range
3–18 mm handles thin wall tile through to thick porcelain on one machine.

Five lengths
0.8 to 1.8 m — the broadest single family in the catalogue.

Tungsten carbide wheel
Shared with the rest of the range; one spare part covers every model you stock.

CARTON CONTENTS & SERVICE

In every carton	Oil can, tool set (hex key + open-end wrench), screws and nuts, 2 spare scoring wheels
Spare parts	One scoring wheel and one spares kit shared across every machine line
Packaging	Individual packing as standard. Own-brand carton, customer-supplied packaging and foreign-language print from 200 units per model.
Loading data	Carton dimensions and gross weights above. Send your model mix for a loading plan.

SUPPLIER
Huangshan Zhantu Trading Co., Ltd.

EMAIL
export@tikarotools.com

WHATSAPP
+86 199 5593 2627

WEB
www.tikarotools.com



CUTTING & CHAMFERING MACHINE

TC-C1200

Cut and chamfer in one machine · 1.2 m · 5–16 mm

SPECIFICATIONS BY SKU

Item	1.2 m
Model	TC-C1200
Cutting depth	5–16 mm
Net weight	21.38 kg
Gross weight	24.16 kg
Carton size (mm)	1640×200×300
Base	Stainless steel

WHY THIS MODEL

Two operations, one bed
Cuts and chamfers without moving the tile to a second machine.

Grinder built on
The chamfering attachment and its angle grinder are mounted on the machine — no separate grinder to buy.

Fabrication-shop machine
Built for finishing visible edges: corners, skirting and stairs.

CARTON CONTENTS & SERVICE

In every carton	Oil can, tool set (hex key + open-end wrench), screws and nuts, 2 spare scoring wheels
Spare parts	One scoring wheel and one spares kit shared across every machine line
Packaging	Individual packing as standard. Own-brand carton, customer-supplied packaging and foreign-language print from 200 units per model.
Loading data	Carton dimensions and gross weights above. Send your model mix for a loading plan.

SUPPLIER
Huangshan Zhantu Trading Co., Ltd.

EMAIL
export@tikarotools.com

WHATSAPP
+86 199 5593 2627

WEB
www.tikarotools.com



HANDHELD TILE CHAMFERING MACHINE

TC-CH

Three configurations · 2.9–5.96 kg net

SPECIFICATIONS BY SKU

Item	TC-CH100	TC-CH200	TC-CH300
Configuration	Stone-wheel machine	With angle grinder	Frame only
Supplied as	Complete unit	Grinder + frame	Frame
Net weight	5.96 kg	4.68 kg	2.90 kg
Gross weight	6.52 kg	5.14 kg	3.24 kg
Carton size (mm)	505×255×240	500×170×150	475×170×150

WHY THIS MODEL

Bevelling where the tile stands

For fitted walls, finished floors and stair nosings a bench machine cannot reach.

Frame sets the angle

The frame holds the grinder at a fixed angle, so the bevel stays consistent along the run.

Three ways to buy it

Complete stone-wheel machine, grinder version, or frame alone for a grinder the customer owns.

CARTON CONTENTS & SERVICE

In every carton	Oil can, tool set (hex key + open-end wrench), screws and nuts, 2 spare scoring wheels
Spare parts	One scoring wheel and one spares kit shared across every machine line
Packaging	Individual packing as standard. Own-brand carton, customer-supplied packaging and foreign-language print from 200 units per model.
Loading data	Carton dimensions and gross weights above. Send your model mix for a loading plan.

SUPPLIER
Huangshan Zhantu Trading Co., Ltd.

EMAIL
export@tikarotools.com

WHATSAPP
+86 199 5593 2627

WEB
www.tikarotools.com



CORDLESS TILE PAVING MACHINE

TC-PV

88-150 and 89-150 · 12V or 21V · 1.62–1.76 kg

SPECIFICATIONS BY SKU

Item	88-150 · 12V	88-150 · 21V	89-150 · 12V	89-150 · 21V
Model	TC-PV88-12	TC-PV88-21	TC-PV89-12	TC-PV89-21
Net weight	1.62 kg	1.73 kg	1.66 kg	1.76 kg
Gross weight	2.30 kg	2.44 kg	—	—
Carton size (mm)	525×305×465	525×305×465	—	—

WHY THIS MODEL

Battery power
For bedding and settling tile where a cord is in the way.

Two models, two voltages
88-150 (black) and 89-150 (teal), each in 12V and 21V.

Light enough to use one-handed
1.62–1.76 kg net, so it works on wall tile as well as floors.

CARTON CONTENTS & SERVICE

In every carton	Oil can, tool set (hex key + open-end wrench), screws and nuts, 2 spare scoring wheels
Spare parts	One scoring wheel and one spares kit shared across every machine line
Packaging	Individual packing as standard. Own-brand carton, customer-supplied packaging and foreign-language print from 200 units per model.
Loading data	Carton dimensions and gross weights above. Send your model mix for a loading plan.

SUPPLIER
Huangshan Zhantu Trading Co., Ltd.

EMAIL
export@tikarotools.com

WHATSAPP
+86 199 5593 2627

WEB
www.tikarotools.com